

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6470227".pn.	USPAT; EPO; JPO; DERWENT	OR	OFF	2007/02/13 11:39
S2	2	"6470227".pn.	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 16:04
S3	2	"6549937".pn.	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 11:43
S4	1249	((receiv\$3 or accept\$3 or obtain\$3 or intercept\$3 or process\$3) near5 (messag\$3) with protocol with (application or program\$))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 11:46
S5	2176	((receiv\$3 or accept\$3 or obtain\$3 or intercept\$3 or process\$3) near5 (messag\$3 or request\$3) with protocol with (application or program\$))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 11:47
S6	59	((receiv\$3 or accept\$3 or obtain\$3 or intercept\$3 or process\$3) near5 (messag\$3 or request\$3) with protocol with (application or program\$)) with (tool or equipment)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 13:18
S7	118	((receiv\$3 or accept\$3 or obtain\$3 or intercept\$3 or process\$3) near5 (messag\$3 or request\$3) with protocol with (application or program\$)) same (tool or equipment)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 11:48
S8	2088	((extract\$3 or accept\$3 or remov\$3 or determin\$3 or identif\$3) with pointer with (messag\$ or request\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 13:18
S9	59	((receiv\$3 or accept\$3 or obtain\$3 or intercept\$3 or process\$3) near5 (messag\$3 or request\$3) with protocol with (application or program\$)) with (tool or equipment)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 13:19
S10	2171	((extract\$3 or accept\$3 or remov\$3 or determin\$3 or identif\$3) with pointer with (messag\$ or request\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 13:20
S11	0	S9 and S10	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 13:19

EAST Search History

S12	0	S9 same S10	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 13:19
S13	118	((receiv\$3 or accept\$3 or obtain\$3 or intercept\$3 or process\$3) near5 (messag\$3 or request\$3) with protocol with (application or program\$)) same (tool or equipment)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 13:20
S14	0	S10 same S13	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 13:19
S15	0	S10 and S13	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 13:19
S16	10	((receiv\$3 or accept\$3 or obtain\$3 or intercept\$3 or process\$3) near5 (messag\$3 or request\$3) with protocol with (application or program\$)) same (tool or equipment)) and (pointer with (messag\$ or request\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 13:20
S17	0	((receiv\$3 or accept\$3 or obtain\$3 or intercept\$3 or process\$3) near5 (messag\$3 or request\$3) with protocol with (application or program\$)) same (tool or equipment)) and ((pointer with (messag\$ or request\$3))same (return adj3 value))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 13:21
S18	0	((receiv\$3 or accept\$3 or obtain\$3 or intercept\$3 or process\$3) near5 (messag\$3 or request\$3) with protocol with (application or program\$)) same (tool or equipment)) and ((pointer with (messag\$ or request\$3))and(return adj3 value))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 13:21
S19	9	((receiv\$3 or accept\$3 or obtain\$3 or intercept\$3 or process\$3) near5 (messag\$3 or request\$3) with protocol with (application or program\$)) same (tool or equipment)) and ((pointer with (messag\$ or request\$3))and(return))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 13:22

EAST Search History

S20	5	((((receiv\$3 or accept\$3 or obtain\$3 or intercept\$3 or process\$3) near5 (messag\$3 or request\$3) with protocol with (application or program\$)) same (tool or equipment)) and ((pointer with (messag\$ or request\$3))and(return with (method or function or procedure))))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 13:29
S21	8	((((receiv\$3 or accept\$3 or obtain\$3 or intercept\$3 or process\$3) near5 (messag\$3 or request\$3) with protocol with (application or program\$)) same (tool or equipment)) and ((pointer with (messag\$ or request\$3))and(return\$3 with (method or function or procedure))))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 13:22
S23	3	"549937".pn.	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:17
S24	2	"6549937".pn.	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:17
S25	2	"6549937".pn. and (function or procedure or method)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:18
S26	1	"6549937".pn. and ((function or procedure or method)adj3 second)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:18
S27	0	"6549937".pn. and (((function or procedure or method)adj3 second) with object)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:18
S28	1	"6549937".pn. and (((function or procedure or method)adj3 second) with (messag\$3 or request\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:19
S29	1	"6549937".pn. and (((function or procedure or method)adj3 second) with (messag\$3 or request\$3) with first)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:22
S30	0	"6549937".pn. and (((function or procedure)adj3 second) with (messag\$3 or request\$3) with first)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:23
S31	0	"6549937".pn. and (((function or procedure)adj3 second) with (messag\$3 or request\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:21

EAST Search History

S32	0	"6549937".pn. and (((function or procedure)adj3 second) same (messag\$3 or request\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:22
S33	0	"6549937".pn. and (((function or procedure)with second) same (messag\$3 or request\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:23
S34	1	"6549937".pn. and (((function or procedure or method)adj3 second))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:22
S35	0	"6549937".pn. and (((function or procedure)adj3 second))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:22
S36	2	"6549937".pn. and (((function or procedure)))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:22
S37	9758	(((function or procedure)with second) same (messag\$3 or request\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:23
S38	0	"6549937".pn. and (((function or procedure)adj3 second) with (messag\$3 or request\$3) with first)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:23
S39	702	(((function or procedure)adj3 second) with (messag\$3 or request\$3) with first)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:32
S40	7	(((function or procedure)adj3 second) with (messag\$3 or request\$3) with first) and (multi-protocol or (multi adj2 protocol) or (multiple adj2 protocol))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:38
S41	0	(((function or procedure)adj3 second) with (messag\$3 or request\$3) with first) and (multi-protocol or (multi adj2 protocol) or (multiple adj2 protocol)) and (automat\$3 near5 (tool or equipment))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:34
S42	1	(((function or procedure)adj3 second) with (messag\$3 or request\$3) with first) and (multi-protocol or (multi adj2 protocol) or (multiple adj2 protocol)) and (automat\$3 with(tool or equipment))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:34

EAST Search History

S43	15	((function or procedure)adj3 second) with (messag\$3 or request\$3) with first) and (multi-protocol or (multi adj2 protocol) or (multiple adj2 protocol))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:38
S44	1	((function or procedure)adj3 second) with (messag\$3 or request\$3) with first) and (multi-protocol or (multi adj2 protocol) or (multiple adj2 protocol)) and (return near5 value)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:43
S45	0	((function or procedure)adj3 second) with (messag\$3 or request\$3) with first) and (multi-protocol or (multi adj2 protocol) or (multiple adj2 protocol)) and ((return near5 value) with client)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:44
S46	1	((function or procedure)adj3 second) with (messag\$3 or request\$3) with first) and (multi-protocol or (multi adj2 protocol) or (multiple adj2 protocol)) and ((return near5 value) with procedure)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:44
S47	0	((function or procedure)adj3 second) with (messag\$3 or request\$3) with first) and (multi-protocol or (multi adj2 protocol) or (multiple adj2 protocol)) and ((return near5 value) with procedure with application)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:45
S48	0	((function or procedure)adj3 second) with (messag\$3 or request\$3) with first) and (multi-protocol or (multi adj2 protocol) or (multiple adj2 protocol)) and ((return near5 value) with procedure same application)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:45
S49	0	((function or procedure)adj3 second) with (messag\$3 or request\$3) with first) and (multi-protocol or (multi adj2 protocol) or (multiple adj2 protocol)) and ((return near5 value) with procedure) same application)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:45

EAST Search History

S50	1	((function or procedure)adj3 second) with (messag\$3 or request\$3) with first) and (multi-protocol or (multi adj2 protocol) or (multiple adj2 protocol)) and (((return near5 value) with procedure) and application)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:45
S51	1	((function or procedure)adj3 second) with (messag\$3 or request\$3) with first) and (multi-protocol or (multi adj2 protocol) or (multiple adj2 protocol)) and (((return near5 value) with procedure) and (client with application))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:46
S52	0	((function or procedure)adj3 second) with (messag\$3 or request\$3) with first) and (multi-protocol or (multi adj2 protocol) or (multiple adj2 protocol)) and (((return near5 value) with procedure) and (client with application)) and ((tool or equipment) near5 model)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:46
S53	0	((function or procedure)adj3 second) with (messag\$3 or request\$3) with first) and (multi-protocol or (multi adj2 protocol) or (multiple adj2 protocol)) and (((return near5 value) with procedure) and (client with application)) and ((tool or equipment or server) near5 model)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:47
S54	0	((function or procedure)adj3 second) with (messag\$3 or request\$3) with first) and (multi-protocol or (multi adj2 protocol) or (multiple adj2 protocol)) and (((return near5 value) with procedure) and (client with application)) and (model)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:47
S55	0	((function or procedure)adj3 second) with (messag\$3 or request\$3) with first) and (multi-protocol or (multi adj2 protocol) or (multiple adj2 protocol)) and (((return near5 value) with procedure) and (client with application)) and (model)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/13 17:47

EAST Search History

S56	5	(((receiv\$3 or accept\$3 or obtain\$3 or intercept\$3 or process\$3) near5 (messag\$3 or request\$3) with protocol with (application or program\$)) same (tool or equipment)) and ((pointer with (messag\$ or request\$3))and(return with (method or function or procedure))) and (model near5 (tool or equipment or device or apparatus))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/02/14 11:32
-----	---	---	--------------------------------	----	----	------------------